


# Index

Lockstone Chambers	3
Other Chambers	4
Hearths	5
Geocast Beams & Trim Kit	6
Dimensions	7

### **LOCKSTONE CHAMBERS**

















**Vermiculite Boards** 







- Also available in plain board
  1100 degrees temperature resistant
- Insulates against heat escaping

## **OTHER CHAMBERS**



**RUSTIC BRICK** 



(4PC - Front returns & arch 3PC - Front returns, no arch)



**RUSTIC BRICK HERRINGBONE** 



**URBAN DUSK CERAMIC BRICK BOND** 



**RED CERAMIC BRICK BOND** 



**BRICK BOND** 



**OLIVE WATERFALL SLATE** 



**GRAPHITE WATERFALL SLATE** 



### **HEARTHS**

### **RECTANGULAR HEARTHS**



### **GLASS HEARTHS**



SQUARE



**SEMI-CIRCLE** 



TRUNCATED



**TEAR DROP** 



**CIRCULAR** 



QUADRANT

12mm toughened glass. Available in transparent or smoked.

### **SHAPED HEARTHS**







#### Available in:

- Black Granite
- Italian Slate (Honed)
- · Italian Slate (Riven)

All 20mm without risers.

### **GEOCAST BEAMS**



**RUSTIC DARK OAK** 



**RUSTIC NATURAL OAK** 





**LIGHT OAK** 



7" DARK OAK (PD)



7" LIGHT OAK (PD)



7" GREY OAK (PD)



- 250mm distance to combustibles
- Authentic oak effect
- Easy fitting
- Available in 48"/54"\*
- Available with feature lights\*

\*See page 7 for full details on available sizes and versions





### **DIMENSIONS**

#### **CHAMBERS**

	HEIGHT	WIDTH	DEPTH	RETURN	THICKNESS
Oyster/Rustic Slate/ Ash Grey/ Charcoal <sup>1</sup>	1050mm	1000mm	500mm	N/A (35mm <sup>2)</sup>	35mm
Maxi Nordic/Dove Grey <sup>1</sup>	1000mm	1000mm	500mm	N/A	50mm
Rustic Brick/Rustic Brick Herringbone	1000mm	1015mm	450mm	N/A	35mm
Rustic Brick Front Returns 3PC	1000mm	1015mm	450mm	100mm	Up to 70mm
Rustic Brick Front Returns w Arch 4PC	750 <sup>3</sup> +205mm <sup>4</sup> (900mm <sup>7)</sup>	950 <sup>5</sup> +750mm <sup>6</sup> (790mm <sup>7)</sup>	450mm	100mm	Up to 70mm
Grey Ceramic/Red Ceramic/Urban Dusk	900mm	1030mm	450mm	N/A	35mm
Porcelain Slate/Olive & Charocal Waterfall	900mm	950mm	450mm	N/A	35mm

<sup>&</sup>lt;sup>1</sup>Made to measure available <sup>2</sup>Optional 35mm front edge finished <sup>3</sup>Side height <sup>4</sup>Arch height <sup>5</sup>External arch width <sup>6</sup>Internal arch width <sup>7</sup>Back height/width

### **VERMICULITE BOARDS**

	HEIGHT	WIDTH	THICKNESS
Small Brick/Large Brick	1000mm	1000mm	25mm
Small Brick/Large Brick/Herringbone	1020mm	620mm	25mm
Plain (20mm/25mm/30mm)	1020mm	620mm	20/25/30mm
Reeded <sup>8</sup>	1000mm	610mm	25mm

<sup>&</sup>lt;sup>8</sup>Comes in box of 2 boards

### **HEARTHS**

GRANITE & SLATE	DEPTH	WIDTH	THICKNESS
Corner-Angled Front	1050mm	1050mm	20mm
Square - Rounded Corners	900mm	900mm	20mm
Curved Front	1100mm	850mm	20mm

#### **CHAMBER TRIM KIT**

LENTGH	WIDTH	FACE	RETURN
1100mm <sup>11</sup>	1100mm <sup>11</sup>	40mm	35mm

<sup>&</sup>lt;sup>11</sup> Can be cut to desired length


#### **GEOCAST BEAMS**

	LENGTH	WIDTH	DEPTH
48" Dark/Light Oak <sup>10</sup>	1225mm	140mm	100mm
54" Dark/Light Oak <sup>10</sup>	1375mm	140mm	100mm
54" Rustic Natural/Dark	1375mm	130mm	120mm
48" 7" Dark/Light/Grey (PD)	1225mm	175mm	100mm

 $<sup>^{\</sup>rm 10}\,{\rm Version}$  with concealed lights available

GLASS (SHAPED)	DEPTH	WIDTH	THICKNESS
Semi-Circle	1100mm	850mm	12mm
Truncated	950mm	1100mm <sup>9</sup>	12mm
Teardrop	1100mm	1100mm	12mm
Square	900mm	900mm	12mm
Circular	1100mm	diameter	12mm
Quadrant	1200mm	1200mm	12mm
9.750 ma ma Ta ma r \ \ / i d+ b			

<sup>&</sup>lt;sup>9</sup>750mm Taper Width



All images are for illustrative purposes only, and not to scale. Seek expert fitting advice from your local fireplace retailer. The range is distributed by T&T Distributors, www.t-tdistributors.com.